

PELLET STOVES 2023

„TIMES MAY
CHANGE,
BUT *my fire*
STILL
BURNS.“



AUSTROFLAMM

www.austroflamm.com



AUSTROFLAMM

index

CONTENTS

04

A multifaceted pioneer

06

What it's all about

08

(Heating) comfort zone

32

Technology

35

Accessories & designs

10 - 27 stoves

- 10 Clou DUO
- 12 Mo DUO
- 14 Mo DUO Cook - **NEW !**
- 16 Scotty DUO

-
- 18 Clou Pellet
 - 20 Clou compact Pellet
 - 22 Ella - **NEW !**
 - 24 Percy
 - 26 Perry
 - 28 Polly 2.0 | Polly light
 - 30 Ruby





AUSTROFLAMM

Fire is the source of every- thing. philosophy

FERDINAND HUEMER,
A MULTIFACETED INNOVATOR.

At the beginning of the 80s, Ferdinand Hue- mer recognised the need to free wood-burning stoves from their somewhat outmoded image. His declared aim was to develop stoves that would not only provide cosy warmth but would also revolutionise design and efficiency - and founded Austroflamm.

By March 1983 he had already begun to supply the first stoves. The company grew rapidly and moved to a new building in 1994, particularly as it was now exporting to Aus- tralia and Japan. One year later Austroflamm launched the first pellet stove on European soil - one of many other innovations that were to follow.

That is the entrepreneur, who with a blend of creativity, zest for action, courage and determination transformed his company into the market leader. Then there is the musician Ferdinand Huemer who plays



several instruments, composes and writes – one of his most recent projects being „Masita“ - and manages the „Nest“ recording studio as a producer. And finally there is the farmer who enjoys an egg for breakfast each morning straight from his own chickens. What unites these three lifestyles is not only the name and the identical physical appearance behind them, but above all one characteristic: passion, expressed through complete commitment and sheer determination to achieve every goal he has set himself.

There is no question about it: *Ferdinand Huemer dedicates his life to fire and human warmth.*

What matters most: passion, partnership,
team spirit and human warmth.



The Austroflamm COMPANY PHILOSOPHY is inseparably linked to its founder and owner Ferdinand Huemer. His esprit, his passion for innovation, his visionary thinking and actions are reflected in the way in which the company has evolved. The enthusiasm for unconditional quality and exceptional design is also evident in his employees, leading time and again to trend- setting technological developments. Austroflamm is THE PIONEER in the use of ceramic, developing innovative types of storage materials such as HMS (Heat Memory System), XTRA stored heat, and the in-house developed and produced Keramott – and has thus been crucially involved in having significantly reduced the emission values of combustion products for solid fuels in the last 25 years. Austroflamm is constantly setting new standards in the industry. Sustainable thinking and acting, team spirit and partnership distinguish the company in its dealings with customers, but also within the team. Our guiding principle is respect for others because ultimately, what really matters in life is human warmth.



Teresa Huemer



Ferdinand Huemer



Sebastian Köck



Doris Pfeiffer



1

2

3

4



A LEAP INTO THE *(heating)* COMFORT ZONE!

Our pellet stoves are not only beautiful to look at, their inner qualities will also impress you. Convenient, simple to operate and at the same time environmentally friendly, pellet stoves offer the perfect alternative to conventional wood-burning stoves. All Austroflamm pellet stoves are fitted for balanced flue operation as standard. Automatic self-cleaning cycles and particularly clean combustion with low ash generation ensure cleaning efforts are kept to a minimum.

PELLET STOVES

EASY & SMART

THAT'S THE CLOUD!

REAL FIRE

At the push of a button, our pellet stoves emit a pleasant warmth and display a unique and calm array of flames thanks to innovative Austroflamm technology.

REAL PEACE

Thanks to ingenious technology, our pellet stoves do not require convection fans and are therefore particularly quiet during operation.

REAL CLEANLINESS

Our pellet stoves not only comply with the requirements of European regulations, their values remain comfortably within the standard limits to be met. Wood pellets have a minimal impact on the environment even during their production, and energy consumption is kept to a minimum. Cosy heat you can enjoy with a clear conscience.



Our pellet stoves are also both smart and gorgeous!

PELLET



COMBI STOVES

GOOD COMBINED

JUST « DUO » IT

OUR DUO MODELS

For all the undecided, Austroflamm has the perfect solution with its hybrid stoves.

MAKING 2 INTO 1!

Duo means these stoves can be fuelled with both firewood and wood pellets.

SIMPLY PRACTICAL

They combine the comfort and technological innovations of pellet stoves with the naturalness of a crackling stove fire. Low-emission combustion, a renewable raw material and economic heating included.



Our Duo stoves don't need to decide between firewood or wood pellets - they simply love them both!

WOOD & PELLET






CLOU DUO

⇒ TWO = ONE


You can heat this hybrid appliance with crackling firewood or quite easily with pellets. The automatic thermostat is brilliant and the time function really practical - you can also use them to start your Clou Duo when you're out and about.

The optional air distribution module allows you to conveniently heat adjoining rooms at the same time with the door closed.



CLOU DUO

- wood/pellets hybrid stove
- rotary control unit
- timer
- room sensor
- stylish solid cast-iron doors



C L O U
D U O



M O D U O



AUSTROFLAMM


MO DUO

WOOD & PELLETS A STRONG DUO!

Calling all comfort-conscious and bon viveurs! Mo Duo fulfils all your heating desires at once. This hybrid appliance can be heated with pellets or firewood and thus combines the best of both worlds: The comfort of an automatic pellet fire with automatic thermostat or timer programming and the incomparable flame pattern of crackling firewood. Adjacent rooms can also be heated using the optional air distribution module.



- MO DUO
- hybrid stove - wood/pellets
 - automatic thermostat
 - intuitive controls
 - optional air distribution module
 - rotary control unit
 - XL touch display



WOOD & PELLET




MO DUO COOK - OUR SECRET RECIPE

The new 3 in 1 hybrid stove is a real treat!
With our Mo Duo Cook, no kitchen stays cold.
Heat conventionally with wood or practically with pellets.
Use the fire not just for room heating,
but also for your favourite dishes - that's the
MOdern lifestyle, including independence!



MO DUO COOK

- heat with wood or pellets
- cool COOK function
- independent & smart
- optional ceramic cladding
- optional Cook Railing



With white ceramic cladding

MO DUO **C**OOK

NEW

MO DUO
COOK




SCOTTY DUO



SCOTTY DUO

Whether you fire our Scotty Duo with logs or wood pellets is entirely up to you. Either way, Scotty Duo provides cosy warmth and an effective heat output. Equipped with state-of-the-art Austroflam technology, heating becomes child's play. Whether by hand or conveniently controlled via the integrated WLAN module, Scotty Duo impresses with its efficiency and versatility. Featuring understated elegance and attractive details, Scotty Duo combines technological innovation with the source - the flame. Whether in dark anthracite or bright white ceramic cladding, or with steel cladding, our all-rounder Scotty Duo is guaranteed to be a (heart-) warming eye catcher in your home.



Scotty Duo with steel cladding



Scotty Duo with dark anthracite ceramic cladding



CLOU

PELLET




CLOU PELLET




A TWIST OF A KNOB IS ALL YOU NEED

The completely new operating concept of the Clou Pellet is as unusual as its design: the automatic control is activated, the power setting selected and the stove switched off again by means of a rotary control. It really couldn't be simpler.



CLOU COMPACT PELLET



SMALL BUT AWESOME!

Boasting all the advantages of the Clou, but with more compact dimensions and a lower output, this is the Clou Compact Pellet. In other words, it also features the foolproof rotary control, housed in a stunning design.



C L O U COMPACT
P E L L E T



ELLA



NEW
ELLA



ELLA - EVERYTHING IN THE ROUND

Our pellet appliance in its new innovative design - round and elegant - makes heating a clean solution with the feeling of a fully open fire. This stove is an eye-catcher in any room and conjures up atmospheric, pleasant warmth.


Ella is available with stylish steel- or ceramic cladding.


Clean, low-emission with rotary controller and, as an option, can be intuitively operated using a mobile. Set timer, control temperature, service info ... it's all quite straightforward!



ELLA

- innovative in the round
- intuitive & can be operated on the go
- simply trendy





PERCY

Clear, timeless forms in steel or ceramic distinguish the Percy. The automatic riddling grate and optional tools such as WLAN module and remote control guarantee the highest level of heating convenience.

And it goes without saying that the long, peaceful and beautiful pellet flame is included.

A modern living and dining area. In the foreground, a dark wood-burning stove with a glass door shows a fire burning inside. To the left, a small black side table holds a white spherical lamp. In the background, a dining table with dark leather chairs is set against a dark wood-paneled wall. A large black pendant lamp hangs over the table. A brown sofa is visible on the right, and a coffee table with a bottle of whiskey and a glass is in the lower foreground.





P E R C Y



Sheer bliss is only a push of a button away: the display makes it possible.

PERRY

Straightforward, stylish and elegant is how our Perry presents itself. The sophisticated ceramic cladding in bright white or dark anthracite gives the automated pellet stove that extra special touch. At the push of a button, Perry provides cosy warmth and fills the room with flickering fire. Equipped with our WLAN module, your smartphone becomes a remote control for your Perry. Whether you want to fill your home with cosy warmth while you are on the road, or set complete daily or weekly programmes, Perry and the pellet app make it possible. A smart heat dispenser for every day.



P E R R Y





POLLY
2.0 / LIGHT



POLLY 2.0 POLLY LIGHT

WHICH ONE IS BEST FOR ME?

Polly – likeable, practical, round: its rounded window allows particularly multifaceted glimpses into the fascinating play of flames. Here you have a choice between the Polly 2.0 with automatic riddling grate and the Polly Light with combustion cavity.



In both cases, you can choose between steel, soapstone or ceramic casing in four colours. Heat Memory System with heat storage also available upon request.



Polly 2.0

POLLY 2.0

- Optionally with Heat Memory System
- Steel, soapstone or ceramic cladding in 4 colours
- Digital display





RUBY

AN ELEGANT UNDERSTATEMENT IN ITS MOST STUNNING FORM.




The sophisticated design details, from the elegant ceramic cladding to the smart wooden handle, are what make this pellet stove stand out. The imposing rounded cast-iron door creates a spectacular setting for the flames. Depending on individual circumstances, various flue pipe connection options (at the rear or at the top) and an air distribution module are available as accessories.



RUBY

- Various flue pipe connections possible
- Optionally with air distribution module
- Digital display

Flue pipe connection top



R U B Y








CLOU DUO

MO DUO

MO DUO **COOK**

SCOTTY DUO



DIMENSIONS & WEIGHT

| | | | | |
|--|---------------------|---------------------|--------------------|---------------------|
| Dimensions h x w x d | 1013 x 810 x 410 mm | 1147 x 863 x 523 mm | 1147 x 863 x 523 | 1147 x 890 x 520 mm |
| Weight with steel cladding | 212 kg | 274 kg | env. 290 kg | 327 kg |
| Flue pipe outlet | ø 130 mm | ø 130 mm | ø 130 mm | ø 130 mm |
| Fresh air connection | ø 125 mm | ø 125 mm | ø 125 mm | ø 125 mm |
| b: Connection height with rear flue pipe | 895 mm | 1017 mm | 1017 mm | 1018 mm |
| f: Flue pipe connection from the right | 205 mm | 432 mm | 432 mm | 445 mm |
| g: Height of fresh air connection | 138 mm | 144 mm | 144 mm | 144 mm |
| h: Fresh air connection from the left | 303 mm | 261 mm | 261 mm | 275 mm |
| Firebox (h x w x d) | 301 x 332 x 196 mm | 441 x 380 x 307 mm | 441 x 380 x 307 mm | 441 x 380 x 307 mm |

OUTPUT

| | | | | |
|-------------------------|-------------------|-------------------|-------------------|-------------------|
| Heat output | 2,4 - 7 kW | 2,8 - 9,4 kW | 2,4 - 9,4 kW | 2,8 - 9,4 kW |
| Energy efficiency class | A + | A + | A + | A + |
| Room heating capacity | 98 - 190 m³ | 114 - 255 m³ | 98 - 255 m³ | 114 - 255 m³ |
| Pellet container | ≈ 22 kg / 34 l | ≈ 34 kg / 51 l | ≈ 34 kg / 51 l | ≈ 33 kg / 50 l |
| Pellet consumption | 0,6 - 1,64 kg / h | 0,6 - 1,87 kg / h | 0,6 - 1,87 kg / h | 0,6 - 1,87 kg / h |
| Burning time | ≈ 13 - 36 h | ≈ 18 - 56 h | ≈ 18 - 56 h | ≈ 18 - 55 h |
| Efficiency | > 90 % | > 90 % | > 90 % | > 90 % |


FEATURES

| | | | | |
|-------------------------|-------------|-------------|-------------|-------------|
| Room temperature sensor | standard | standard | standard | standard |
| (Weekly) timer | standard | standard | standard | standard |
| Balanced flue | standard | standard | standard | standard |
| Automatic dumping grate | standard | standard | standard | standard |
| WLAN / WIFI | accessories | accessories | accessories | accessories |
| Remote control | accessories | accessories | accessories | accessories |
| Air diffuser module | accessories | accessories | accessories | accessories |


DATA FOR THE CHIMNEY SWEEP

| | | | | |
|---|--------|---------|---------------------------------------|---------|
| Flue gas temperature | 220 °C | 219 °C | BRAND NEW! | 219° C |
| Minimum discharge pressure | 12 Pa | 12 Pa | Technical data under review, | 12 Pa |
| Minimum draught for chimney calculation | 12 Pa | 12 Pa | on the homepage as soon as available! | 12 Pa |
| Flue gas mass flow | 5 g/s | 5,6 g/s | | 5,6 g/s |


CLOU PELLET




CLOU COMPACT PELLET




ELLA



PERCY



PERRY



| | | | | |
|---------------------|---------------------|---------------------|---------------------|---------------------|
| 1100 x 630 x 510 mm | 1033 x 520 x 499 mm | 1202 x 540 x 540 mm | 1120 x 526 x 517 mm | 1121 x 535 x 525 mm |
| 173 kg | 150 kg | 226 kg | 181 kg | 209 kg |
| ø 80 mm | ø 80 mm | ø 80 mm | ø 80 mm | ø 80 mm |
| ø 80 mm | ø 80 mm | ø 80 mm | ø 60 mm | ø 80 mm |
| 183 mm | 178 mm | 362 mm | 203 mm | 203 mm |
| 191 mm | 260 mm | 205 mm | 137 mm | 140 mm |
| 97 mm | 92 mm | 78 mm | 164 mm | 164 mm |
| 190 mm | 157 mm | 205 mm | 198 mm | 202 mm |




| | | | | |
|---------------------------------|-------------------|----------------|------------------|--------------------|
| 2,4 - 8,0 / 3,0 - 10,0 kW | 2 - 6 kW | 2,4-8,0 kW | 2,4 - 8,6 kW | 2,4 - 8,6 kW |
| A + | A + | A + | A + | A + |
| 98 - 255 m³ / 128 - 350 m³ | 65 - 165 m³ | 98-255 m³ | 114 - 305 m³ | 114 - 305 m³ |
| = 36 kg / 56 l | = 26 kg / 40 l | = 17/26 l | = 25 kg / 39 l | = 25 kg / 39 l |
| 0,6 - 1,87 / 0,71 - 2,36 kg / h | 0,5 - 1,55 kg / h | 0,6-2,0 kg / h | 0,6 - 2,1 kg / h | 0,63 - 2,15 kg / h |
| = 19 - 60 h / 15 - 50 | = 16 - 52 h | 8,5-28 h | = 12 - 42 h | = 12 - 42 h |
| > 90 % | > 90 % | > 90 % | > 90 % | > 90 % |

| | | | | |
|-------------|-------------|-------------|-------------|-------------|
| standard | standard | standard | standard | standard |
| accessories | accessories | accessories | standard | standard |
| standard | standard | standard | standard | standard |
| - | - | standard | standard | standard |
| accessories | accessories | accessories | accessories | accessories |
| - | - | - | accessories | accessories |
| - | - | - | - | - |

| | | | | |
|-----------------|--------|----------|----------|----------|
| 200 / 229 °C | 164 °C | 208 °C | 208 °C | 208° C |
| 12 Pa | 12 Pa | 12 Pa | 12 Pa | 12 Pa |
| 3 Pa | 3 Pa | 3 Pa | 3 Pa | 3 Pa |
| 5,51 / 6,18 g/s | 5 g/s | 6,31 g/s | 6,31 g/s | 6,13 g/s |

POLLY 2.0 POLLY LIGHT

RUBY



DIMENSIONS & WEIGHT

| Dimensions h x w x d | 1100 x 520 x 498 mm | 1120 x 690 x 442 mm |
|--|---------------------|---------------------|
| Weight with steel cladding | 158 kg | 226 kg |
| Flue pipe outlet | ø 80 mm | ø 80 mm |
| Fresh air connection | ø 80 mm | ø 60 mm |
| b: Connection height with rear flue pipe | 183 mm | 252 mm |
| f: Flue pipe connection from the right | 134 mm | 140 mm |
| g: Height of fresh air connection | 144 mm | 132 mm |
| h: Fresh air connection from the left | 195 mm | 238 mm |
| Firebox (h x w x d) | | |

OUTPUT

| Heat output | 2,4 - 7,7 kW | 2,6 - 8,9 kW | 2,4 - 8,6 kW |
|-------------------------|------------------|------------------|------------------|
| Energy efficiency class | A + | A + | A + |
| Room heating capacity | 98 - 255 m³ | 114 - 305 m³ | 114 - 305 m³ |
| Pellet container | ≈ 25 kg / 39 l | ≈ 25 kg / 39 l | ≈ 25 kg / 38 l |
| Pellet consumption | 0,6 - 1,9 kg / h | 0,7 - 2,2 kg / h | 0,6 - 2,1 kg / h |
| Burning time | ≈ 13 - 42 h | ≈ 11 - 39 h | ≈ 12 - 42 h |
| Efficiency | > 90 % | > 90 % | > 90 % |

FEATURES


| | | | |
|-------------------------|-------------|-------------|-------------|
| Room temperature sensor | standard | standard | standard |
| (Weekly) timer | standard | standard | standard |
| Balanced flue | standard | standard | standard |
| Automatic dumping grate | standard | - | standard |
| WLAN / WIFI | accessories | accessories | accessories |
| Remote control | accessories | accessories | accessories |
| Air diffuser module | - | - | accessories |

DATA FOR THE CHIMNEY SWEEP

| | | | |
|---|---------|----------|----------|
| Flue gas temperature | 207 °C | 204 °C | 208 °C |
| Minimum discharge pressure | 12 Pa | 12 Pa | 12 Pa |
| Minimum draught for chimney calculation | 3 Pa | 3 Pa | 3 Pa |
| Flue gas mass flow | 4,9 g/s | 5,98 g/s | 6,31 g/s |

SOLO,
OU
DUO ?

A QUESTION OF TASTE:-)



DETAILS

COLOURS / FINISHES



**Steel
cast grey**

Models :
Clou Duo, Clou Pellet,
Clou compact Pellet, Mo
Duo, Percy, Polly 2.0,
Polly Light,
Ella, Mo Duo Cook,
Perry, Scotty Duo




Soapstone

Models:
Polly 2.0, Polly Light




**Ceramic
dark anthracite**

Models :
Ruby
Ella, Mo Duo Cook,
Perry, Scotty Duo



**Ceramic
bright white**

Models :
Ruby
Ella, Mo Duo Cook,
Perry, Scotty Duo



**Ceramic
arctic white**

Models :
Percy



**Ceramic
iron corten**

Models :
Percy



**Ceramic
milky cocoa**

Models :
Polly 2.0, Polly Light



**Ceramic
vanilla caramel**

Models :
Polly 2.0, Polly Light



**Ceramic
hot chocolate**

Models :
Polly 2.0, Polly Light



**Ceramic
dark espresso**

Models :
Polly 2.0, Polly Light

ACCESSORIES

Optional and optimal!

MAKE IT EASY WITH PELLETS!

ACCESSORIES

PRETTY SMART!



Intuitive Control

PELLET CONTROL APP

SMART HEATING

Now you can enjoy a truly beautiful (pellet) fire at the touch of a button. Gently pressing the TOUCHDISPLAY is all it takes to start pellet delivery, and ignition is fully automatic as well. Alternatively, simply press the REMOTE CONTROL or the Pellet Control app on your smartphone (iOS or Android). This allows you to monitor and control your pellet stove from any location. So you can make sure that it is cosy and warm when you get home. Operation via display, remote control or app is foolproof and self-explanatory. Our Clou, Clou Compact and Clic pellet stoves probably offer the simplest operating concept of all with their innovative ROTARY CONTROLS.



MAIN SCREEN

The power can be regulated on the main screen. The desired room temperature is displayed in large format. The actual room temperature is shown in small letters beneath it.

TIMER

A timer can be set just as conveniently via PelletControl as on the display of our pellet stoves. This is an important addition, especially for our models with rotary control. You can set weekly and daily programmes using the "Timer" menu.

ADDITIONAL FUNCTIONS

- Activation of the ECO mode
- Changes to the restart and shutdown temperature
- Adjustment of the pellet quality from 1-3
- Change of date and time
- Statistics
- Service / maintenance information
- Error log



ACCESSORIES

HOT SPOT !



Premium




White

The sensor is available in a high-quality "Premium" and a subtle "White" version.

Smart Spot

WITH ROOM SENSOR - WARM WHEREVER IT'S COSY

All Austroflamm pellet stoves are equipped with a cable room sensor as standard. The optional SMART SPOT is a wireless room sensor based on Bluetooth technology, which allows you to measure the room temperature in the most convenient spot (within a range of 20 m). The minimalist, timeless design of the sensor is an elegant eye catcher, especially in the premium version.



TECHNICAL DATA

Installation: horizontal or vertical

Battery: 2 x AAA batteries (included)

Battery-life: > 1 year

Reception: Bluetooth

ACCESSORIES

MOST WARMLY RECOMMENDED



Air distribution module

SIMPLY HEAT ROOMS AT THE SAME TIME

Extend your comfort with very little effort. With the door shut, the optional air distribution module conveniently transports part of the heat via a connection pipe into another room.

So in the lounge you can enjoy the uniquely peaceful flame pattern and by activating the air distribution module heat the dining room, office or bedroom at the same time.



OPTIONAL FOR : Clou Duo



Mo Duo



Mo Duo Cook



Ruby



AUSTROFLAMM

www.austroflamm.com



Austroflamm stoves are sold worldwide via specialist retailers.
Visit our homepage for more information.

AUSTROFLAMM GmbH
Austroflamm-Platz 1, A-4631 Krenglbach
T: +43 7249 46443-0, info@austroflamm.com